

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	240	123/406.18.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 08:59
L2	242	123/406.59.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 09:00
L3	0	(1 2) and (timing adj port)	US-PGPUB; USPAT	OR	ON	2005/10/25 09:01
L4	46	(1 2) and (position near2 sens\$3)	US-PGPUB; USPAT	OR	ON	2005/10/25 09:02
L5	24	(1 2) and (crankshaft near2 sens\$3)	US-PGPUB; USPAT	OR	ON	2005/10/25 09:07
L6	4	5 and (crankcase)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 09:07
S1	2	("6664789" "6429658").pn.	USPAT	OR	ON	2005/05/23 12:47
S2	153	324/391.ccls.	US-PGPUB; USPAT	OR	ON	2005/10/24 16:22
S3	4	S2 and (timing adj port)	US-PGPUB; USPAT	OR	ON	2005/10/25 09:00
S4	4	S2 and ((timing adj port) with crankcase)	US-PGPUB; USPAT	OR	ON	2005/10/24 16:23
S5	6	((timing adj port) with crankcase)	US-PGPUB; USPAT	OR	ON	2005/05/23 13:03
S6	2	S5 not S4	US-PGPUB; USPAT	OR	ON	2005/05/23 12:53
S7	4	((timing adj port) with sensor)	US-PGPUB; USPAT	OR	ON	2005/05/23 13:03
S8	4	S2 and (timing with port with sensor)	US-PGPUB; USPAT	OR	ON	2005/05/23 13:10
S9	0	S8 not S7	US-PGPUB; USPAT	OR	ON	2005/05/23 13:04
S10	9	S2 and (port with sensor)	US-PGPUB; USPAT	OR	ON	2005/05/23 13:04
S11	5	S10 not S7	US-PGPUB; USPAT	OR	ON	2005/05/23 13:08

S12	4	S2 and (port with thread)	US-PGPUB; USPAT	OR	ON	2005/05/23 13:10
S13	5	S2 and (port with thread\$3)	US-PGPUB; USPAT	OR	ON	2005/05/23 13:08
S14	180	324/402.ccls.	US-PGPUB; USPAT	OR	ON	2005/05/25 17:38
S15	1	S14 and (timing with port with sensor)	US-PGPUB; USPAT	OR	ON	2005/05/23 13:13
S16	2	S14 and (port with thread\$3)	US-PGPUB; USPAT	OR	ON	2005/05/25 16:44
S17	172	ignition and (timing with port with sens\$3)	US-PGPUB; USPAT	OR	ON	2005/05/23 13:13
S18	75	ignition same (timing with port with sens\$3)	US-PGPUB; USPAT	OR	ON	2005/05/23 13:19
S19	7	(US-20040189306-\$ or US-20020175686-\$).did. or (US-6429658-\$ or US-6664789-\$ or US-5431134-\$ or US-4578755-\$ or US-3634752-\$).did.	US-PGPUB; USPAT	OR	OFF	2005/05/23 13:14
S20	71	S18 not S19	US-PGPUB; USPAT	OR	OFF	2005/05/23 13:14
S21	0	S20 and ((timing adj port) with sens\$3)	US-PGPUB; USPAT	OR	ON	2005/05/23 13:19
S22	0	S20 and ((timing adj port))	US-PGPUB; USPAT	OR	ON	2005/05/23 13:19
S23	11	S20 and ((timing near3 port))	US-PGPUB; USPAT	OR	ON	2005/05/23 13:19
S24	15	(US-20010006049-\$ or US-20020046717-\$ or US-20020092485-\$ or US-20020175686-\$ or US-20040189306-\$).did. or (US-3634752-\$ or US-3726261-\$ or US-4578755-\$ or US-5431134-\$ or US-5784879-\$ or US-5845489-\$ or US-6349682-\$ or US-6429658-\$ or US-6431146-\$ or US-6664789-\$).did.	US-PGPUB; USPAT	OR	OFF	2005/05/25 16:43
S25	6	S24 and (port with thread\$3)	US-PGPUB; USPAT	OR	ON	2005/05/25 16:48
S26	4	S24 and (variable adj reluctance)	US-PGPUB; USPAT	OR	ON	2005/05/25 17:34
S27	6	S24 and crankcase	US-PGPUB; USPAT	OR	ON	2005/05/25 17:34
S28	153	324/391.ccls.	US-PGPUB; USPAT	OR	ON	2005/05/25 17:38
S29	180	324/402.ccls.	US-PGPUB; USPAT	OR	ON	2005/05/25 17:38

S30	4	(S28 S29) and (port with crankcase)	US-PGPUB; USPAT	OR	ON	2005/05/26 08:12
S31	0	(S28 S29) and (port with crankcase).clm.	US-PGPUB; USPAT	OR	ON	2005/05/25 17:40
S32	4	(S28 S29) and (crankcase)	US-PGPUB; USPAT	OR	ON	2005/05/25 17:40
S33	2152	(port with crankcase)	US-PGPUB; USPAT	OR	ON	2005/05/25 17:41
S34	1845	S33 and (engine with crankcase)	US-PGPUB; USPAT	OR	ON	2005/05/25 17:41
S35	1381	S33 and ((engine with crankcase) same port)	US-PGPUB; USPAT	OR	ON	2005/05/25 17:42
S36	12	S35 and ((engine with crankcase) same (timing adj port))	US-PGPUB; USPAT	OR	ON	2005/05/25 17:42
S37	8	S36 not S24	US-PGPUB; USPAT	OR	ON	2005/05/25 17:42
S38	2152	(port with crankcase)	US-PGPUB; USPAT	OR	ON	2005/05/26 08:12
S39	6	S38 and ((timing adj port) with crankcase)	US-PGPUB; USPAT	OR	ON	2005/05/26 08:17
S40	75	S38 and (sens\$3 near3 port)	US-PGPUB; USPAT	OR	ON	2005/05/26 08:36
S41	5	S40 and (sens\$3 near3 port near3 timing)	US-PGPUB; USPAT	OR	ON	2005/05/26 08:31
S42	24	("3872376" "3943897" "4039931" "4109630" "4315487" "4354378" "4377140" "4493409" "4573438" "4575865" "4578755" "4635776" "4791900" "4930371" "5014676" "5088464" "5174263" "5198763" "5430370" "5431134" "5446375" "5507089" "5814723" "5998988").PN.	US-PGPUB; USPAT	OR	ON	2005/05/26 08:31
S43	0	S42 and (sens\$3 near3 port)	US-PGPUB; USPAT	OR	ON	2005/05/26 08:38
S44	3	S42 and (sens\$3 with port)	US-PGPUB; USPAT	OR	ON	2005/05/26 08:37
S45	0	S42 and (sens\$3 with crankcase)	US-PGPUB; USPAT	OR	ON	2005/05/26 08:38
S46	212	S38 and (sens\$3 with crankcase)	US-PGPUB; USPAT	OR	ON	2005/05/26 09:02
S47	184	S46 and (sensor with crankcase)	US-PGPUB; USPAT	OR	ON	2005/05/26 08:39
S48	20	S46 and (sensor with crankcase with timing)	US-PGPUB; USPAT	OR	ON	2005/05/26 08:39
S49	32	S38 and (lock\$3 near3 nut)	US-PGPUB; USPAT	OR	ON	2005/05/26 09:03

S50	2	S49 and S48	US-PGPUB; USPAT	OR	ON	2005/05/26 09:35
S51	0	S49 and (sensor near3 (retractable retract\$3))	US-PGPUB; USPAT	OR	ON	2005/05/26 09:36
S52	1	S38 and (sensor near3 (retractable retract\$3))	US-PGPUB; USPAT	OR	ON	2005/05/26 09:37
S53	3	S38 and (sensor with (retractable retract\$3))	US-PGPUB; USPAT	OR	ON	2005/05/26 09:38
S54	717	engine and (sensor with (retractable retract\$3))	US-PGPUB; USPAT	OR	ON	2005/05/26 09:39
S55	108	engine same (sensor with (retractable retract\$3))	US-PGPUB; USPAT	OR	ON	2005/05/26 09:39
S56	19	engine same (sensor near3 (retractable retract\$3))	US-PGPUB; USPAT	OR	ON	2005/05/26 09:39
S57	62	(US-20010006049-\$ or US-20020046717-\$ or US-20020092485-\$ or US-20020175686-\$ or US-20040189306-\$).did. or (US-3634752-\$ or US-3726261-\$ or US-4578755-\$ or US-5431134-\$ or US-5784879-\$ or US-5845489-\$ or US-6349682-\$ or US-6429658-\$ or US-6431146-\$ or US-6664789-\$ or US-4945868-\$ or US-3630178-\$ or US-5832907-\$ or US-5814723-\$ or US-5998988-\$ or US-5507089-\$ or US-5446375-\$ or US-5430370-\$ or US-5198763-\$ or US-5174263-\$ or US-5088464-\$ or US-5014676-\$ or US-4930371-\$ or US-4791900-\$ or US-4635776-\$ or US-4575865-\$).did. or (US-4573438-\$ or US-4493409-\$ or US-4377140-\$ or US-4354378-\$ or US-4315487-\$ or US-4109630-\$ or US-4039931-\$ or US-3943897-\$ or US-3872376-\$ or US-6481394-\$ or US-6227171-\$ or US-6227165-\$ or US-6119453-\$ or US-5927247-\$ or US-5778857-\$ or US-5738074-\$ or US-5732674-\$ or US-5715794-\$ or US-5682867-\$ or US-5653103-\$ or US-5630395-\$ or US-5622158-\$ or US-5586524-\$ or US-5408872-\$ or US-5134984-\$ or US-5127373-\$ or US-5051909-\$).did. or (US-4672231-\$ or US-6158215-\$ or US-6021748-\$ or US-5341771-\$).did.	US-PGPUB; USPAT	OR	OFF	2005/05/26 09:39
S58	18	S56 not S57	US-PGPUB; USPAT	OR	OFF	2005/05/26 09:40

S59	8	S57 and (variable adj reluctance)	US-PGPUB; USPAT	OR	ON	2005/05/26 10:59
S60	1	"20030193331"	US-PGPUB; USPAT	OR	OFF	2005/05/26 13:16
S61	51	123/406.18.ccls.	US-PGPUB; USPAT	OR	ON	2005/10/25 08:59
S62	122	123/406.59.ccls.	US-PGPUB; USPAT	OR	ON	2005/10/25 09:00
S63	280	324/391.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 16:22
S64	220	324/402.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 16:22
S65	4	(S63 S64) and (timing adj port)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 16:23
S66	4	(S63 S64) and ((port) with crankcase)	US-PGPUB; USPAT	OR	ON	2005/10/24 16:38
S67	1138	engine with port with crankcase	US-PGPUB; USPAT	OR	ON	2005/10/24 16:39
S68	6	engine with (timing adj port) with crankcase	US-PGPUB; USPAT	OR	ON	2005/10/24 16:40
S69	4	S67 and (sensor with (timing adj port))	US-PGPUB; USPAT	OR	ON	2005/10/24 16:41
S70	92	S67 and (sensor with port)	US-PGPUB; USPAT	OR	ON	2005/10/24 16:43

S71	63	(US-20010006049-\$ or US-20020046717-\$ or US-20020092485-\$ or US-20020175686-\$ or US-20030193331-\$ or US-20040189306-\$).did. or (US-3630178-\$ or US-3634752-\$ or US-3726261-\$ or US-3872376-\$ or US-3943897-\$ or US-4039931-\$ or US-4109630-\$ or US-4315487-\$ or US-4354378-\$ or US-4377140-\$ or US-4493409-\$ or US-4573438-\$ or US-4575865-\$ or US-4578755-\$ or US-4635776-\$ or US-4672231-\$ or US-4791900-\$ or US-4930371-\$ or US-4945868-\$ or US-5014676-\$ or US-5051909-\$ or US-5088464-\$ or US-5127373-\$ or US-5134984-\$ or US-5174263-\$ or US-5198763-\$).did. or (US-5341771-\$ or US-5408872-\$ or US-5430370-\$ or US-5431134-\$ or US-5446375-\$ or US-5507089-\$ or US-5586524-\$ or US-5622158-\$ or US-5630395-\$ or US-5653103-\$ or US-5682867-\$ or US-5715794-\$ or US-5732674-\$ or US-5738074-\$ or US-5778857-\$ or US-5784879-\$ or US-5814723-\$ or US-5832907-\$ or US-5845489-\$ or US-5927247-\$ or US-5998988-\$ or US-6021748-\$ or US-6119453-\$ or US-6158215-\$ or US-6227165-\$ or US-6227171-\$ or US-6349682-\$).did. or (US-6429658-\$ or US-6431146-\$ or US-6481394-\$ or US-6664789-\$).did.	US-PGPUB; USPAT	OR	ON	2005/10/24 16:41
S72	78	S70 not S71	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 16:55
S73	27	S70 and ((sensor with port) same timing)	US-PGPUB; USPAT	OR	ON	2005/10/24 16:44
S74	28	S72 and ((sens\$3 with port) with position)	US-PGPUB; USPAT	OR	ON	2005/10/24 16:49
S75	5	S73 and S74	US-PGPUB; USPAT	OR	ON	2005/10/24 16:45
S76	0	S72 and (reluctance adj sensor)	US-PGPUB; USPAT	OR	ON	2005/10/24 16:49
S77	4	S67 and (reluctance adj sensor)	US-PGPUB; USPAT	OR	ON	2005/10/24 16:54

S78	8	(S63 S64) and (reluctance adj sensor)	US-PGPUB; USPAT	OR	ON	2005/10/24 16:55
S79	4	S78 not S71	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 16:55